


- NOTE**
- <1> ALL DIMENSIONS ARE IN MILLIMETER.
 - <2> ALL MEASUREMENTS ARE FROM UNFINISHED SURFACE TO UNFINISHED SURFACE.
 - <3> ALL DIMENSIONS ARE TO BE READ AND NOT TO BE MEASURED.
 - <4> DRIP MOULD IS TO BE PROVIDED AT ALL EXTERNAL WINDOW LINTELS.
 - <5> A NICHE FOR RAIN WATER PIPES TO BE PROVIDED DURING WALL CONSTRUCTION , AT POSITIONS INDICATED IN DRAWINGS.
 - <6> RAIN WATER DRAIN PIPES OR SLEEVES THROUGH BEAMS AND CURBINGS TO BE INSTALLED WHILE CASTING AS PER THE POSITIONS SHOWN IN DRAWING. (LEVEL TO BE DECIDED ON SITE WITH REFERENCE TO AVAILABLE FLOOR GRADIENT.)
 - <7> CHICKEN MESH TO BE PROVIDED AT EVERY JUNCTION OF BRICK AND CONCRETE, TO BE PLASTERED.
 - <8> ALL DOORS & WINDOWS LINTEL ARE AT LVL.2300 MM UNLESS OTHERWISE SPECIFIED.
 - <9> DIMENSIONS OF STRUCTURAL STEEL SECTION, AND JUNCTION DETAILS TO BE APPROVED FROM STRUCTURAL ENGINEER BEFORE EXECUTION.
 - <10> FOUNDATION & U.G.W.T DETAILS TO BE APPROVED FROM STRUCTURAL ENGINEER .
 - <11> BEFORE COMMENCING THE WORK IT IS MUST TO OBTAIN PRIOR PERMISSION FROM RESPECTIVE LOCAL AUTHORITIES
 - <12> SOIL TESTING TO BE CARRIED OUT BEFORE COMMENCEMENT OF THE FOUNDATION.
 - <13> IN CASE OF ANY DISCREPANCY BETWEEN ARCHITECTURAL DRGS. AND OTHER DRGS., DISCREPANCY SHOULD BE BROUGHT TO THE NOTICE OF THE ARCHITECT BEFORE COMMENCEMENT OF THE WORK.
 - <14> IN CASE OF ANY AMBIGUITIES ON SITE,THE ARCHITECT SHOULD BE INFORMED.
 - <15> IT IS MUST TO INFORM AND TO HAVE PRIOR PERMISSION OF ARCHITECT BEFORE MAKING ANY CHANGES ON SITE.
 - <16> IT IS MUST FOR RESPECTIVE SITE ENGINEER TO CHECK AND CO-RELATE THE STRUCTURAL DRAWINGS WITH ARCHITECTURAL DRAWINGS.
 - <17> REFER THE LATEST REVISED DRAWING.

LEGEND:

- STONE CLADDING IN ELEVATION
- EXPOSED R.C.C IN ELEVATION

REV.	REMARKS	DATE	DEALT



CORPORATE PARK
AT- AHMEDABAD
TYPE-E

JOB NO
A-11207
DRG NO
WD-02
SCALE
1:75
DRG. BY
PANKAJ
CHECKED
DATE
18-02-2010

REAR SIDE ELEVATION

ARCHITECT
APURVA AMIN

426 SATYAGRAH CHHAVNI 01
LANE NO 19 SATELLITE ROAD
AHMEDABAD 380015 INDIA
TELEFAX (079) 26862823
E-MAIL - contact@apurvaamin.com

